



Household  
Professional  
2022

scandomestic

# Welcome



**Scandomestic is a young company employing staff with a long experience in commercial and household appliances.**

**Scandomestic imports, stocks and distributes commercial and household appliances, and has customers in all European markets as well as a number of overseas markets.**

Our production takes place in close cooperation with our customers. We have direct contact to our customers and react quickly to changes in market trends. Our sales staff possess considerable market knowledge and we wish to serve our customers in an atmosphere of flexibility, proficiency and credibility.

In addition to standard appliances we aim to be up front with new trends and ideas in order to be an attractive partner for existing and potentially new customers.

Scandomestic is located in the middle of Jutland in Denmark with easy access to ports and international roads.

In order to fulfil customer requirements, we have constantly 30-35,000 units in stock which ensures quick and efficient deliveries.

Scandomestic uses the brand names Scandomestic and ScanCool.

**Scandomestic - a cool flexible partner.**

# Content

Upright Refrigerators. ....	4
Upright Freezers. ....	9
Combi Fridge/Freezers. ....	14
Retro-combis. ....	21
Chest Freezers. ....	23
Hobs. ....	26
Hoods. ....	30
Microwave Ovens. ....	34
Cookers. ....	38
Ovens. ....	39
Dishwashers. ....	41
Washing Machines. ....	46
Tumble Dryers. ....	48
Wine Coolers. ....	49
Minibars. ....	53
Cool Cubes Coolers. ....	54
Display Cooler. ....	56
Showcases. ....	68
Display Freezers. ....	69
Impulse Coolers and Freezers. ....	73
Storage Coolers and Freezers. ....	77
Display Ice Cream Freezers. ....	81
Gastro. ....	86
Dry Age Coolers. ....	89

# Upright Refrigerators



## Upright Refrigerators



### SKS 56 W

#### Table Top Refrigerator

- Reversible door
- Ideal for rooms, garage etc.
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	100
Netto volume, L	47
Acoustical noise (dB(A))	39
Handle	Integrated
Digital display	No
Product Dimensions, HxWxD, mm	525 x 475 x 445



### SKS 56 B

#### Table Top Refrigerator

- Reversible door
- Ideal for rooms, garage etc.
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	100
Netto volume, L	47
Acoustical noise (dB(A))	39
Handle	Integrated
Digital display	No
Product Dimensions, HxWxD, mm	525 x 475 x 445



### SKS 107 W

#### Table Top Refrigerator

- Reversible door
- Adjustable shelves
- Brake safty glass

Energy efficiency class	F
Annual energy cons. kWh/a	106
Netto volume, L	90
Acoustical noise (dB(A))	39
Handle	Integrated
Digital display	No
Product Dimensions, HxWxD, mm	845 x 475 x 455



### SKS 135 W

PREMIUM Collection

#### Table Top Refrigerator

- Reversible door
- Energy-saving LED lighting
- Brake safty glass

Energy efficiency class	E
Annual energy cons. kWh/a	87
Netto volume, L	102
Acoustical noise (dB(A))	41
Handle	Outside
Digital display	No
Product Dimensions, HxWxD, mm	845 x 549 x 557



## Upright Refrigerators



### SKS 151 W

#### Table Top Refrigerator

- Reversible door
- Energy-saving LED lighting
- Brake safty glass

■ Energy efficiency class	E
Annual energy cons. kWh/a	87
Netto volume, L	102
Acoustical noise (dB(A))	41
Handle	Outside
Digital display	No
Product Dimensions, HxWxD, mm	845 x 549 x 557



### SKS 192 W

#### Freestanding Refrigerator

- Reversible door
- Energy-saving LED lighting
- Brake safty glass

■ Energy efficiency class	F
Annual energy cons. kWh/a	118
Netto volume, L	168
Acoustical noise (dB(A))	39
Handle	Outside
Digital display	No
Product Dimensions, HxWxD, mm	1025 x 540 x 580



### SKS 201 W

#### Freestanding Refrigerator

- Reversible door
- Large transparent vegetable drawer
- Brake safty glass

■ Energy efficiency class	E
Annual energy cons. kWh/a	98
Netto volume, L	197
Acoustical noise (dB(A))	39
Handle	Outside
Digital display	No
Product Dimensions, HxWxD, mm	1250 x 540 x 580



### SKS 242 W

PREMIUM Collection

#### Freestanding Refrigerator

- Reversible door
- Automatic defrost
- Brake safty glass

■ Energy efficiency class	E
Annual energy cons. kWh/a	99
Netto volume, L	205
Acoustical noise (dB(A))	41
Handle	Outside
Digital display	No
Product Dimensions, HxWxD, mm	1441 x 540 x 550

## Upright Refrigerators




### SKS 262 W

#### Freestanding Refrigerator

- Reversible door
- Automatic defrost
- Brake safety glass

■ Energy efficiency class	E
Annual energy cons. kWh/a	99
Netto volume, L	205
Acoustical noise (dB(A))	41
Handle	Outside
Digital display	No
Product Dimensions, HxWxD, mm	1441 x 540 x 550



### SKS 346 W

#### Freestanding Refrigerator

- Reversible door with robust steel handle
- Adjustable and brake safe glass shelves
- Energy-saving LED lighting

■ Energy efficiency class	F
Annual energy cons. kWh/a	139
Netto volume, L	308
Acoustical noise (dB(A))	39
Handle	Outside
Digital display	No
Product Dimensions, HxWxD, mm	1780 x 540 x 585



### SKS 452 W

#### Freestanding Refrigerator

- Reversible door with robust steel handle
- Bottlerack
- Energy-saving LED lighting

■ Energy efficiency class	E
Annual energy cons. kWh/a	142
Netto volume, L	370
Acoustical noise (dB(A))	40
Handle	Outside
Digital display	Yes
Product Dimensions, HxWxD, mm	1855 x 595 x 651



### BIK 222 W

#### Integrated Refrigerator

- Bracket fitting
- Adjustable and brake safe glass shelves
- Removable door gasket

■ Energy efficiency class	F
Annual energy cons. kWh/a	125
Netto volume, L	197
Acoustical noise (dB(A))	39
Handle	Integrated
Digital display	No
Product Dimensions, HxWxD, mm	1220 x 540 x 540



### BIK 343 W

#### Integrated Refrigerator

- Slider fitting
- Bottlerack
- 2 large vegetable drawer 1 with telescopic extension

Energy efficiency class	F
Annual energy cons. kWh/a	143
Netto volume, L	316
Acoustical noise (dB(A))	39
Handle	Integrated
Digital display	No
Product Dimensions, HxWxD, mm	1769 x 540 x 540



# Upright Freezers



## Upright Freezers



### SFS 56 B

#### Table Top Freezer

- Integrated handle in the door
- Reversible door
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	187
Netto volume, L	38
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	2,6
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	522 x 479 x 447



### SFS 56 W

#### Table Top Freezer

- Integrated handle in the door
- Reversible door
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	187
Netto volume, L	38
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	2,6
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	522 x 479 x 447



### SFS 61 W

#### Table Top Freezer

- Integrated handle in the door
- Reversible door
- Adjustable feets

Energy efficiency class	F
Annual energy cons. kWh/a	196
Netto volume, L	61
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	3
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	842 x 475 x 448



### SFS 82 W

PREMIUM Collection

#### Table Top Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feets

Energy efficiency class	E
Annual energy cons. kWh/a	164
Netto volume, L	90
Acoustical noise (dB(A))	45
Freezing capacity kg/24h	4,5
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	845 x 545 x 566

## Upright Freezers



### SFS 109 W

#### Table Top Freezer

- Integrated handle in the door
- Reversible door
- Adjustable feet

Energy efficiency class	F
Annual energy cons. kWh/a	199
Netto volume, L	70
Acoustical noise (dB(A))	40
Freezing capacity kg/24h	3,2
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	839 x 494 x 494



### SFS 112 W

#### Table Top Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	164
Netto volume, L	90
Acoustical noise (dB(A))	45
Freezing capacity kg/24h	4,5
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	845 x 545 x 566



### SFS 140 W

PREMIUM Collection

#### Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	183
Netto volume, L	146
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	6,6
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	1250 x 545 x 566



### SFS 163 W

PREMIUM Collection

#### Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Can be placed in a dry environment at temperatures down to -15°C

Energy efficiency class	F
Annual energy cons. kWh/a	261
Netto volume, L	165
Acoustical noise (dB(A))	44
Freezing capacity kg/24h	7,5
Superfreeze w/auto shut off	Yes
Product Dimensions, HxWxD, mm	1440 x 540 x 590

## Upright Freezers



### SFS 170 W

#### Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door with robust steel handle
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	183
Netto volume, L	146
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	6,6
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	1250 x 545 x 566



### SFS 206 W

#### Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	192
Netto volume, L	177
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	8
Superfreeze w/auto shut off	No
Product Dimensions, HxWxD, mm	1440 x 540 x 570



### SFS 209 W

#### Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Can be placed in a dry environment at temperatures down to -15°C

Energy efficiency class	F
Annual energy cons. kWh/a	261
Netto volume, L	166
Acoustical noise (dB(A))	44
Freezing capacity kg/24h	8
Superfreeze w/auto shut off	Yes
Product Dimensions, HxWxD, mm	1443 x 540 x 590



### SFS 226 W

#### Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Can be placed in a dry environment at temperatures down to -15°C

Energy efficiency class	F
Annual energy cons. kWh/a	278
Netto volume, L	206
Acoustical noise (dB(A))	43
Freezing capacity kg/24h	9,3
Superfreeze w/auto shut off	Yes
Product Dimensions, HxWxD, mm	1700 x 540 x 590

## Upright Freezers



### SFS 381 BX

PREMIUM Collection

#### Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- 70 cm wide - XXL capacity
- Removable glass shelves create a large space

Energy efficiency class	E
Annual energy cons. kWh/a	282
Netto volume, L	380
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	17,2
Superfreeze w/auto shut off	Yes
Product Dimensions, HxWxD, mm	1855 x 710 x 705



### SFS 381 W

PREMIUM Collection

#### Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- 70 cm wide - XXL capacity
- Removable glass shelves create a large space

Energy efficiency class	E
Annual energy cons. kWh/a	282
Netto volume, L	380
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	17,2
Superfreeze w/auto shut off	Yes
Product Dimensions, HxWxD, mm	1855 x 710 x 705



### BIF 172 W

#### Integrated Freezer

- Bracket fitting
- Super freeze
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	233
Netto volume, L	127
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	6
Superfreeze w/auto shut off	Yes
Product Dimensions, HxWxD, mm	1221 x 540 x 540



### BIF 293A+

#### Integrated Freezer

- Slider fitting
- Super freeze
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	264
Netto volume, L	204
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	10
Superfreeze w/auto shut off	Yes
Product Dimensions, HxWxD, mm	1776 x 540 x 540

# Combi Fridge / Freezers







## SKB 119 W

PREMIUM Collection

### Table Top Fridge with box

- Reversible door with integrated handle
- Energy-saving LED lighting
- Brake safety glass

Energy efficiency class	E
Annual energy cons. kWh/a	137
Netto volume freezer, L	13
Netto volume refrigerator, L	94
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	2
Product Dimensions, HxWxD, mm	845 x 549 x 557



## SKB 161 W

### Table Top Fridge with box

- Reversible door
- Energy-saving LED lighting
- Adjustable and brake safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	137
Netto volume freezer, L	13
Netto volume refrigerator, L	94
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	2
Product Dimensions, HxWxD, mm	845 x 549 x 557



## SKB 182 W

### Fridge with box

- Reversible door
- Energy-saving LED lighting
- Adjustable and brake safe glass shelves

Energy efficiency class	F
Annual energy cons. kWh/a	180
Netto volume freezer, L	17
Netto volume refrigerator, L	133
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	2,6
Product Dimensions, HxWxD, mm	1025 x 540 x 580



## SKF 206 W

PREMIUM Collection

### Freestanding Combi Fridge Freezer

- Reversible door
- Energy-saving LED lighting
- Adjustable and brake safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	176
Netto volume freezer, L	170
Netto volume refrigerator, L	41
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	2
Product Dimensions, HxWxD, mm	1428 x 540 x 551



## SKF 221 W

### Freestanding Combi Fridge Freezer

- Reversible door
- Energy-saving LED lighting
- Adjustable and brake safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	176
Netto volume freezer, L	41
Netto volume refrigerator, L	170
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	2
Product Dimensions, HxWxD, mm	1428 x 540 x 551



## SKF 221 X

### Freestanding Combi Fridge Freezer

- Reversible door
- Energy-saving LED lighting
- Adjustable and brake safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	176
Netto volume freezer, L	41
Netto volume refrigerator, L	170
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	2
Product Dimensions, HxWxD, mm	1428 x 540 x 551



## SKF 231 W

### Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Removable glass shelves create a large space
- Adjustable and brake safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	191
Netto volume freezer, L	52
Netto volume refrigerator, L	153
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	2,4
Product Dimensions, HxWxD, mm	1440 x 540 x 550



## SKF 297 W

### Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Reversible door with integrated handle
- Removable glass shelves create a large space

Energy efficiency class	E
Annual energy cons. kWh/a	210
Netto volume freezer, L	74
Netto volume refrigerator, L	153
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	3,5
Product Dimensions, HxWxD, mm	1593 x 540 x 550



## SKF 307 W

### Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Adjustable humidity in the vegetable drawer
- Removable glass shelves create a large space

Energy efficiency class	E
Annual energy cons. kWh/a	215
Netto volume freezer, L	75
Netto volume refrigerator, L	187
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	3,4
Product Dimensions, HxWxD, mm	1760 x 540 x 550



## SKF 313 W

PREMIUM Collection

### Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Adjustable humidity in the vegetable drawer
- Reversible door with integrated handle

Energy efficiency class	E
Annual energy cons. kWh/a	219
Netto volume freezer, L	70
Netto volume refrigerator, L	180
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	3,2
Product Dimensions, HxWxD, mm	1800 x 540 x 576



## SKF 313 X

PREMIUM Collection

### Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Adjustable humidity in the vegetable drawer
- Reversible door with integrated handle

Energy efficiency class	E
Annual energy cons. kWh/a	219
Netto volume freezer, L	70
Netto volume refrigerator, L	180
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	3,2
Product Dimensions, HxWxD, mm	1800 x 540 x 576



## SKF 327 W

### Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	F
Annual energy cons. kWh/a	292
Netto volume freezer, L	104
Netto volume refrigerator, L	211
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	4,7
Product Dimensions, HxWxD, mm	1855 x 595 x 596



## SKF 327 X

### Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	F
Annual energy cons. kWh/a	292
Netto volume freezer, L	104
Netto volume refrigerator, L	211
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	4,7
Product Dimensions, HxWxD, mm	1855 x 595 x 596



## SKF 331 W

PREMIUM Collection

### Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	244
Netto volume freezer, L	94
Netto volume refrigerator, L	224
Acoustical noise (dB(A))	42
Freezing capacity kg/24h	4,3
Product Dimensions, HxWxD, mm	1855 x 595 x 635



## SKF 334 W

### Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	F
Annual energy cons. kWh/a	305
Netto volume freezer, L	94
Netto volume refrigerator, L	224
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	4,3
Product Dimensions, HxWxD, mm	1855 x 595 x 635



## SKF 340 W

PREMIUM Collection

### Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	244
Netto volume freezer, L	94
Netto volume refrigerator, L	223
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	4,3
Product Dimensions, HxWxD, mm	1855 x 595 x 635



## SKF 396 W

PREMIUM Collection

### Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	243
Netto volume freezer, L	257
Netto volume refrigerator, L	94
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	4,3
Product Dimensions, HxWxD, mm	2000 x 595 x 635



## SKF 433 X

### American Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable and brake safe glass shelves

Energy efficiency class	F
Annual energy cons. kWh/a	350
Netto volume freezer, L	169
Netto volume refrigerator, L	261
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	8
Product Dimensions, HxWxD, mm	1763 x 839 x 637



## SKF 481 X

### American Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable and brake safe glass shelves

Energy efficiency class	F
Annual energy cons. kWh/a	376
Netto volume freezer, L	88
Netto volume refrigerator, L	404
Acoustical noise (dB(A))	42
Freezing capacity kg/24h	8
Product Dimensions, HxWxD, mm	1810 x 785 x 716



## SKF 562 W

### American Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable and brake safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	323
Netto volume freezer, L	203
Netto volume refrigerator, L	359
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	10
Product Dimensions, HxWxD, mm	1770 x 912 x 704

## Combi Fridge / Freezers



### SKF 562 X

#### American Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable and brake safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	323
Netto volume freezer, L	203
Netto volume refrigerator, L	359
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	10
Product Dimensions, HxWxD, mm	1770 x 912 x 704



### BIC 336 W

#### Integrated Combi Fridge Freezer

- Slider fitting
- Energy-saving LED lighting
- Adjustable humidity in the vegetable drawer

Energy efficiency class	F
Annual energy cons. kWh/a	256
Netto volume freezer, L	60
Netto volume refrigerator, L	190
Acoustical noise (dB(A))	39
Freezing capacity kg/24h	2,5
Product Dimensions, HxWxD, mm	1769 x 540 x 540



### BIC 401 W

PREMIUM Collection

#### Integrated Combi Fridge Freezer

- Slider fitting
- NoFrost
- Adjustable humidity in the vegetable drawer

Energy efficiency class	F
Annual energy cons. kWh/a	260
Netto volume freezer, L	56
Netto volume refrigerator, L	190
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	2,5
Product Dimensions, HxWxD, mm	1769 x 540 x 540



# Retro Combi Fridge/freezers



## Retro Combi Fridge/freezers



### RKF 203 B

#### Freestanding Combi Fridge Freezer

- Stylish retro design
- Reversible door with robust steel handle
- Adjustable feet
- Adjustable shelves
- Brake safety glass

Energy efficiency class	E
Annual energy cons. kWh/a	174
Netto volume freezer, L	40
Netto volume refrigerator, L	166
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	2
Product Dimensions, HxWxD, mm	1497 x 546 x 646



### RKF 203 LB

#### Freestanding Combi Fridge Freezer

- Stylish retro design
- Reversible door with robust steel handle
- Adjustable feet
- Adjustable shelves
- Brake safety glass

Energy efficiency class	E
Annual energy cons. kWh/a	174
Netto volume freezer, L	40
Netto volume refrigerator, L	166
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	2
Product Dimensions, HxWxD, mm	1497 x 546 x 646



### RKF 203 R

#### Freestanding Combi Fridge Freezer

- Stylish retro design
- Reversible door with robust steel handle
- Adjustable feet
- Adjustable shelves
- Brake safety glass

Energy efficiency class	E
Annual energy cons. kWh/a	174
Netto volume freezer, L	166
Netto volume refrigerator, L	40
Acoustical noise (dB(A))	41
Freezing capacity kg/24h	2
Product Dimensions, HxWxD, mm	1497 x 546 x 646

# Chest Freezers



## Chest Freezers



### SB 101 B

#### Chest Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 1 basket included
- Mechanical controller

Energy efficiency class	F
Annual energy cons. kWh/a	210
Netto volume, L	99
Acoustical noise (dB(A))	41
Superfreeze w/auto shut off	No
Internal light	1 Horizontal LED
Product Dimensions, HxWxD, mm	835 x 545 x 476



### SB 101 W

#### Chest Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 1 basket included
- Mechanical controller

Energy efficiency class	F
Annual energy cons. kWh/a	210
Netto volume, L	99
Acoustical noise (dB(A))	41
Superfreeze w/auto shut off	No
Internal light	1 Horizontal LED
Product Dimensions, HxWxD, mm	835 x 545 x 476



### SB 201 B

#### Chest Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 basket included
- Mechanical controller

Energy efficiency class	F
Annual energy cons. kWh/a	248
Netto volume, L	199
Acoustical noise (dB(A))	41
Superfreeze w/auto shut off	No
Internal light	1 Horizontal LED
Product Dimensions, HxWxD, mm	835 x 823 x 556



### SB 201 W

#### Chest Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 basket included
- Mechanical controller

Energy efficiency class	F
Annual energy cons. kWh/a	248
Netto volume, L	199
Acoustical noise (dB(A))	41
Superfreeze w/auto shut off	No
Internal light	1 Horizontal LED
Product Dimensions, HxWxD, mm	835 x 823 x 556

## Chest Freezers



### SB 300 W

#### Chest Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 basket included
- Digital controller and LED panel

Energy efficiency class	F
Annual energy cons. kWh/a	286
Netto volume, L	292
Acoustical noise (dB(A))	41
Superfreeze w/auto shut off	Yes
Internal light	1 Horizontal LED
Product Dimensions, HxWxD, mm	835 x 1055 x 735



### SB 400 W

#### Chest Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 basket included
- Digital controller and LED panel

Energy efficiency class	F
Annual energy cons. kWh/a	329
Netto volume, L	400
Acoustical noise (dB(A))	41
Superfreeze w/auto shut off	No
Internal light	1 Horizontal LED
Product Dimensions, HxWxD, mm	835 x 1365 x 730



### SB 651 W

#### Chest Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 4 basket included
- Mechanical controller

Energy efficiency class	F
Annual energy cons. kWh/a	392
Netto volume, L	560
Acoustical noise (dB(A))	50
Superfreeze w/auto shut off	No
Internal light	1 Horizontal LED
Product Dimensions, HxWxD, mm	850 x 1805 x 71.5



### SB 60 W

#### Chest Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 1 basket included
- Mechanical controller

Energy efficiency class	F
Annual energy cons. kWh/a	192,23
Netto volume, L	51
Acoustical noise (dB(A))	42
Superfreeze w/auto shut off	No
Internal light	No light
Product Dimensions, HxWxD, mm	850 x 355 x 630

# Hobs







## K 30 Domino

### Ceramic Hob

- Without frame
- Zones 1 x 16,5 cm - 1 x 20 cm
- Timer

Type of cooking zones	Hightlight
Number of cooking zones	2
Child Safety	Yes
Controls	Touch
Watt, W	3000
Booster	No
Product Dimensions, HxWxD, mm	64.5 x 288 x 520



## K 52 Domino

### Induction Hob

- Without frame
- Zones 1 x 14 cm - 1 x 18 cm
- Timer

Type of cooking zones	Induction
Number of cooking zones	2
Child Safety	Yes
Controls	Touch
Watt, W	3500
Booster	No
Product Dimensions, HxWxD, mm	60 x 288 x 520



## K 61

### Ceramic Hob

- Without frame
- Zones 2 x 20 cm - 2 x 16,5 cm
- Timer

Type of cooking zones	Hightlight
Number of cooking zones	4
Child Safety	Yes
Controls	Touch
Watt, W	6000
Booster	No
Product Dimensions, HxWxD, mm	55 x 590 x 520



## K 62

PREMIUM Collection

### Ceramic Hob

- 4 faceted edges
- Zones 1 x 20 cm - 2 x 16,5 cm - 1 x 14/23
- Timer

Type of cooking zones	Hightlight
Number of cooking zones	4
Child Safety	Yes
Controls	Touch
Watt, W	6400
Booster	No
Product Dimensions, HxWxD, mm	55 x 590 x 520

## Hobs



### IKF 160-1

#### Induction Hob

- 4 faceted edges
- Zones 2 x 16 cm - 2 x 18 cm
- Timer

Type of cooking zones	Induction
Number of cooking zones	4
Child Safety	Yes
Controls	Touch
Watt, W	6400
Booster	No
Product Dimensions, HxWxD, mm	60 x 590 x 520



### IKF 170-1

#### Induction Hob

- 4 faceted edges
- Zones 2 x 16 cm - 2 x 18 cm
- Timer

Type of cooking zones	Induction
Number of cooking zones	4
Child Safety	Yes
Controls	Touch
Watt, W	6400
Booster	No
Product Dimensions, HxWxD, mm	60 x 700 x 520



### IKF 180-1

#### Induction Hob

- 4 faceted edges
- Zones 2 x 18 - 1 x 16 - 1 x 21 cm
- Timer

Type of cooking zones	Induction
Number of cooking zones	4
Child Safety	Yes
Controls	Touch
Watt, W	7000
Booster	Yes
Product Dimensions, HxWxD, mm	60 x 770 x 520



### IKF 265

PREMIUM Collection

#### Induction Hob

- 4 faceted edges
- Zones 2 x 16 cm - 2 x 21 cm
- Timer

Type of cooking zones	Induction
Number of cooking zones	4
Child Safety	Yes
Controls	Touch
Watt, W	7000
Booster	Yes
Product Dimensions, HxWxD, mm	60 x 590 x 520



IKF 285

PREMIUM Collection

Induction Hob

- 4 faceted edges
- Zones 2 x 18 - 1 x 16 - 1 x 21 cm
- Timer

■ Type of cooking zones	Induction
Number of cooking zones	4
Child Safety	Yes
Controls	Touch
Watt, W	7000
Booster	Yes
Product Dimensions, HxWxD, mm	60 x 770 x 520

# Hoods



## Hoods



B

### EMV 102-1

#### Pull-out Hood

- Replaceable front (steel / white) included
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	B
Fluid dynamic efficiency class	D
Grease filtering efficiency class	C
Controls	Switch
Airborne noise, min/max, dB(A)	57/63
Airflow at min/max, m3	209/329
Product Dimensions, HxWxD, mm	175 x 600 x 280



C

### EMV 103

PREMIUM Collection

#### Pull-out Hood

- Replaceable front (steel / white) included
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	C
Fluid dynamic efficiency class	D
Grease filtering efficiency class	E
Controls	Switch
Airborne noise, min/max, dB(A)	55/68
Airflow at min/max, m3	242/433
Product Dimensions, HxWxD, mm	175 x 600 x 280



C

### EMV 104

#### Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	C
Fluid dynamic efficiency class	E
Grease filtering efficiency class	E
Controls	Push knobs
Airborne noise, min/max, dB(A)	50/68
Airflow at min/max, m3	65/138
Product Dimensions, HxWxD, mm	150 x 600 x 500



C

### EMV 105

#### Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	C
Fluid dynamic efficiency class	E
Grease filtering efficiency class	E
Controls	Push knobs
Airborne noise, min/max, dB(A)	50/68
Airflow at min/max, m3	65/138
Product Dimensions, HxWxD, mm	150 x 600 x 500

## Hoods



A<sup>+</sup>

### EMV 660

PREMIUM Collection

#### Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	A+
Fluid dynamic efficiency class	A
Grease filtering efficiency class	D
Controls	Touch
Airborne noise, min/max, dB(A)	43/63
Airflow at min/max, m3	187/494
Product Dimensions, HxWxD, mm	764 x 600 x 382



A<sup>+</sup>

### EMV 960

PREMIUM Collection

#### Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	A+
Fluid dynamic efficiency class	A
Grease filtering efficiency class	D
Controls	Touch
Airborne noise, min/max, dB(A)	43/63
Airflow at min/max, m3	187/494
Product Dimensions, HxWxD, mm	764 x 900 x 382



C

### EMV 905

#### Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	C
Fluid dynamic efficiency class	D
Grease filtering efficiency class	D
Controls	Push knobs
Airborne noise, min/max, dB(A)	64/69
Airflow at min/max, m3	395
Product Dimensions, HxWxD, mm	500 x 900 x 500



B

### EMV 602

#### Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	B
Fluid dynamic efficiency class	B
Grease filtering efficiency class	C
Controls	Push knobs
Airborne noise, min/max, dB(A)	61/71
Airflow at min/max, m3	348/610
Product Dimensions, HxWxD, mm	555 x 600 x 500



## Hoods



B

### EMV 902

#### Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	B
Fluid dynamic efficiency class	B
Grease filtering efficiency class	C
Controls	Push knobs
Airborne noise, min/max, dB(A)	61/71
Airflow at min/max, m3	348/610
Product Dimensions, HxWxD, mm	560 x 900 x 500



C

### EMF 990

#### Island Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	C
Fluid dynamic efficiency class	B
Grease filtering efficiency class	B
Controls	Push knobs
Airborne noise, min/max, dB(A)	68/71
Airflow at min/max, m3	408/602
Product Dimensions, HxWxD, mm	1050 x 900 x 600



B

### EMF 902

#### Island Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as sparepart

Energy efficiency class	B
Fluid dynamic efficiency class	B
Grease filtering efficiency class	C
Controls	Push knobs
Airborne noise, min/max, dB(A)	62/73
Airflow at min/max, m3	343/578
Product Dimensions, HxWxD, mm	690 x 900 x 600

# Microwave Ovens



## Microwave Ovens



### MIG 20 W

#### Microwave Standard

- 25 cm turntable
- Timer
- Defrost program

Oven size, L	20
Colour Outside	White
Number of programs, pcs	5
Micro effect, W	700
Grill effect, W	None
Auto defrost	Yes
Product Dimensions, HxWxD, mm	253 x 440 x 360



### MIG 20 B

#### Microwave Standard

- 25 cm turntable
- Timer
- Defrost program

Oven size, L	20
Colour Outside	Black
Number of programs, pcs	5
Micro effect, W	700
Grill effect, W	None
Auto defrost	Yes
Product Dimensions, HxWxD, mm	253 x 440 x 360



### MIG 27 SS

#### Microwave with grill

- 27 cm turntable and 1 grate
- LED display with remaining time
- Children lock

Oven size, L	23
Colour Outside	Black
Number of programs, pcs	8
Micro effect, W	800
Grill effect, W	1000
Auto defrost	Yes
Product Dimensions, HxWxD, mm	293 x 485 x 396



### MIG 2301

#### Microwave with grill

- 27 cm turntable and 1 grate
- LED display with remaining time
- Defrost program

Oven size, L	23
Colour Outside	White
Number of programs, pcs	8
Micro effect, W	800
Grill effect, W	1000
Auto defrost	Yes
Product Dimensions, HxWxD, mm	285 x 485 x 410

## Microwave Ovens

### MIG 2501

#### Microwave Combi

- 31 cm turntable and 1 grate
- LED display with remaining time
- Electronically hot air oven with auto menu



Oven size, L	25
Colour Outside	White
Number of programs, pcs	10
Micro effect, W	900
Grill effect, W	1100
Auto defrost	Yes
Product Dimensions, HxWxD, mm	305 x 510 x 470

### MWP 25

#### Professional Microwave

- LED display with remaining time
- Defrost program
- Ideal for commercial kitchens, cafeteria etc.



Oven size, L	25
Colour Outside	Stainless Steel
Number of programs, pcs	100
Micro effect, W	1000
Grill effect, W	None
Auto defrost	Yes
Product Dimensions, HxWxD, mm	311 x 511 x 432

# **Cookers, Built-in Ovens and Mini Oven**



## Cookers



A

### SK 403-1

#### Ceramik Cooker

- Zoner 2 x 14 cm / 2 x 18 cm
- Conventional oven with fan
- Extra deep frying pan

Energy efficiency class	A
Netto volume, L	60
Full glass in inner door	Yes
Storage compartment	No
Oven functions	6
Controls	Knobs
Product Dimensions, HxWxD, mm	900 x 600 x 600



A

### SK 803-1

#### Ceramik Cooker

- Zoner 2 x 14 cm / 2 x 18 cm
- Conventional oven with fan
- Extra deep frying pan

Energy efficiency class	A
Netto volume, L	60
Full glass in inner door	Yes
Storage compartment	No
Oven functions	6
Controls	Knobs
Product Dimensions, HxWxD, mm	900 x 600 x 600



A

### SK 813 B

#### Ceramik Cooker

- Zoner 2 x 15,5 cm / 2 x 18,5 cm
- Conventional oven with fan
- Extra deep frying pan

Energy efficiency class	A
Netto volume, L	60
Full glass in inner door	Yes
Storage compartment	Yes
Oven functions	6
Controls	Push knobs
Product Dimensions, HxWxD, mm	900 x 600 x 600



## Built-in Ovens and Mini Oven



A<sup>+</sup>

### XO 6500

PREMIUM Collection

#### Build-in Oven

- Clean enamel
- Hot air - Circular heating element
- Deep frying pan

Energy efficiency class	A+
Number of programs, pcs	9
Full glass in inner door	Yes
Oven size, L	72
Telescopic pullout system	Available as sparepart
Function light	White
Product Dimensions, HxWxD, mm	596 x 595 x 565



A<sup>+</sup>

### XO 7500

PREMIUM Collection

#### Build-in Oven

- Clean enamel
- Hot air - Circular heating element
- Soft close function

Energy efficiency class	A+
Number of programs, pcs	13
Full glass in inner door	Yes
Oven size, L	72
Telescopic pullout system	Available as sparepart
Function light	White
Product Dimensions, HxWxD, mm	595 x 595 x 565



A<sup>+</sup>

### XO 7800

PREMIUM Collection

#### Build-in Oven

- Pyrolyse - self-cleaning
- Hot air - Circular heating element
- Finger touch display

Energy efficiency class	A+
Number of programs, pcs	13
Full glass in inner door	Yes
Oven size, L	72
Telescopic pullout system	Available as sparepart
Function light	White
Product Dimensions, HxWxD, mm	596 x 595 x 546



A<sup>+</sup>

### XO 5201

#### Build-in Oven

- Clean enamel
- Conventional oven with fan
- Child proof lock

Energy efficiency class	A+
Number of programs, pcs	8
Full glass in inner door	No
Oven size, L	70
Telescopic pullout system	No
Function light	Red
Product Dimensions, HxWxD, mm	595 x 595 x 568



## Built-in Ovens and Mini Oven



A

### XO 7200-1

#### Build-in Oven

- Pyrolyse - self-cleaning
- Hot air - Circular heating element
- Full glass inner door

Energy efficiency class	A
Number of programs, pcs	9
Full glass in inner door	Yes
Oven size, L	70
Telescopic pullout system	No
Function light	Red
Product Dimensions, HxWxD, mm	595 x 595 x 568



### MIO 42

#### Mini Oven

- Zones 1 x 14,5 cm / 1 x 18 cm
- Baking tray: 391.5 x 339 x 30.5 mm - Grate 393 x 340 mm
- Ideal for small kitchens, camping etc.

Energy efficiency class	
Number of programs, pcs	6
Full glass in inner door	No
Oven size, L	42
Telescopic pullout system	No
Function light	Red
Product Dimensions, HxWxD, mm	354 x 532 x 490

# Dishwashers



## Dishwashers



### SFO 101 W

#### Table Top Dishwasher

- Only uses 5 liters of water
- Does not require water connection
- Disinfectant steam program

Energy efficiency class	G
Rated capacity (ps)	2
Acoustical noise (dB(A))	58
Number of programs, pcs	7
Water cons pr dishwash cycle	5
Energy cons pr dishwash cycle	0,396
Product Dimensions, HxWxD, mm	435 x 420 x 435



### SFO 2203 W

#### Table Top Dishwasher

- Delayed start function 2, 4 or 8h
- LED indicator for salt and rinse aid
- Easy and simple LED operation

Energy efficiency class	F
Rated capacity (ps)	6
Acoustical noise (dB(A))	49
Number of programs, pcs	6
Water cons pr dishwash cycle	6,5
Energy cons pr dishwash cycle	0,613
Product Dimensions, HxWxD, mm	438 x 550 x 500



### SFO 2204 B

#### Table Top Dishwasher

- Delayed start function 2, 4 or 8h
- LED indicator for salt and rinse aid
- Easy and simple LED operation

Energy efficiency class	F
Rated capacity (ps)	6
Acoustical noise (dB(A))	47
Number of programs, pcs	6
Water cons pr dishwash cycle	6,5
Energy cons pr dishwash cycle	0,613
Product Dimensions, HxWxD, mm	438 x 550 x 500



### SFO 4502 W

#### Freestanding Dishwasher

- Delivered with a steady top plate and contra weight
- LED indicator for salt and rinse aid
- Aqua stop

Energy efficiency class	E
Rated capacity (ps)	10
Acoustical noise (dB(A))	47
Number of programs, pcs	4
Water cons pr dishwash cycle	9
Energy cons pr dishwash cycle	0,755
Product Dimensions, HxWxD, mm	845 x 448 x 610

## Dishwashers



### SFO 3502 W

#### Freestanding Dishwasher

- Delivered with a steady top plate and contra weight
- Delayed start function 3, 6, 9 or 12h
- 1/2 wash function

Energy efficiency class	D
Rated capacity (ps)	14
Acoustical noise (dB(A))	44
Number of programs, pcs	6
Water cons pr dishwash cycle	11
Energy cons pr dishwash cycle	0,849
Product Dimensions, HxWxD, mm	845 x 598 x 610



### SFO 3802 W

#### Integrated Dishwasher

- Delayed start function 3, 6 or 9h
- 1/2 wash function
- Aqua stop

Energy efficiency class	D
Rated capacity (ps)	14
Acoustical noise (dB(A))	44
Number of programs, pcs	6
Water cons pr dishwash cycle	10,5
Energy cons pr dishwash cycle	0,849
Product Dimensions, HxWxD, mm	815 x 598 x 550



### SFO 3806 W

PREMIUM Collection

#### Integrated Dishwasher

- Extra space with 3rd basket
- Delayed start function 1-24h
- Auto sensor and 30 min party program

Energy efficiency class	C
Rated capacity (ps)	14
Acoustical noise (dB(A))	42
Number of programs, pcs	8
Water cons pr dishwash cycle	9,8
Energy cons pr dishwash cycle	0,747
Product Dimensions, HxWxD, mm	820 x 600 x 550



### SFO 4102 W

#### Built-in Dishwasher

- Extra space with 3rd basket
- Delayed start function 3, 6, 9 or 12h
- Aqua stop

Energy efficiency class	D
Rated capacity (ps)	14
Acoustical noise (dB(A))	44
Number of programs, pcs	6
Water cons pr dishwash cycle	11
Energy cons pr dishwash cycle	0,849
Product Dimensions, HxWxD, mm	815 x 598 x 570

## Dishwashers



### SFO 4102 X

#### Built-in Dishwasher

- Extra space with 3rd basket
- Delayed start function 3, 6, 9 or 12h
- Aqua stop

Energy efficiency class	D
Rated capacity (ps)	14
Acoustical noise (dB(A))	44
Number of programs, pcs	6
Water cons pr dishwash cycle	11
Energy cons pr dishwash cycle	0,849
Product Dimensions, HxWxD, mm	815 x 598 x 570



### SFO 4901 W

PREMIUM Collection

#### Built-in Dishwasher

- flexible decor with 3 baskets
- Delayed start function 1-24h
- Aqua stop

Energy efficiency class	D
Rated capacity (ps)	14
Acoustical noise (dB(A))	44
Number of programs, pcs	8
Water cons pr dishwash cycle	10
Energy cons pr dishwash cycle	0,849
Product Dimensions, HxWxD, mm	815 x 598 x 570



### SFO 4901 X

PREMIUM Collection

#### Built-in Dishwasher

- flexible decor with 3 baskets
- Delayed start function 1-24h
- Aqua stop

Energy efficiency class	D
Rated capacity (ps)	14
Acoustical noise (dB(A))	44
Number of programs, pcs	8
Water cons pr dishwash cycle	10
Energy cons pr dishwash cycle	0,849
Product Dimensions, HxWxD, mm	815 x 598 x 570

# Washing Machines and Tumble Dryers



## Washing Machines



### STL 712 W

#### Top Loaded Washing Machine

- Delayed start function
- Soft opening - can be opened with one hand
- 16 programmes

Energy efficiency class	E
Energy consumption, kWh/cycle	0,784
Spin speed (rpm)	1200
Rated capacity (kg)	7
Water Cons. weighted L/cycle	41
Spin performance	B
Product Dimensions, HxWxD, mm	860 x 405 x 600



### WAH 1506 W

#### Front Loaded Washing Machine

- Depth only 40 cm
- Quick wash 15' - 30' or 45' min
- Drum clean program

Energy efficiency class	D
Energy consumption, kWh/cycle	0,644
Spin speed (rpm)	1200
Rated capacity (kg)	6
Water Cons. weighted L/cycle	43
Spin performance	C
Product Dimensions, HxWxD, mm	850 x 595 x 400



### WAH 1707 W

#### Front Loaded Washing Machine

- Delayed start and remaining time display
- Quick wash 15 min
- Drum clean program

Energy efficiency class	E
Energy consumption, kWh/cycle	0,784
Spin speed (rpm)	1400
Rated capacity (kg)	7
Water Cons. weighted L/cycle	45
Spin performance	B
Product Dimensions, HxWxD, mm	850 x 595 x 495



### WAH 2908 W

#### Front Loaded Washing Machine

- Inverter motor
- Delayed start and remaining time display
- Quick wash 15 or 45 min

Energy efficiency class	B
Energy consumption, kWh/cycle	0,545
Spin speed (rpm)	1400
Rated capacity (kg)	8
Water Cons. weighted L/cycle	48,0
Spin performance	B
Product Dimensions, HxWxD, mm	850 x 595 x 565



## Washing Machines



### WAH 3110 W

PREMIUM Collection

#### Front Loaded Washing Machine

- Inverter motor
- Delayed start and remaining time display
- Quick wash 15 or 45 min

Energy efficiency class	B
Energy consumption, kWh/cycle	0,593
Spin speed (rpm)	1500
Rated capacity (kg)	10
Water Cons. weighted L/cycle	52
Spin performance	B
Product Dimensions, HxWxD, mm	850 x 595 x 565



### WAD 3815 W

#### Washer Dryer

- Wash and dry 1 kg in 1 hour
- Inverter motor
- Delayed start and remaining time display

Energy efficiency class	B
Energy consumption, kWh/cycle	0,545
Spin speed (rpm)	1500
Rated capacity (kg)	8
Water Cons. weighted L/cycle	64
Spin performance	B
Product Dimensions, HxWxD, mm	850 x 595 x 500

## Tumble Dryers



B

### TRK 1020

#### Condenser Tumble Dryer

- Electronically controlled
- Delayed start function 3, 6, 9, or 12 h
- Light inside the drum

Energy efficiency class	B
Condence efficiency class	B
Annual energy cons. kWh/a	561
Rated capacity drying, kg	8
Airborne acoustical noise (A)	69
Option of drainhose connection	Yes
Product Dimensions, HxWxD, mm	845 x 595 x 615



A++

### TRK 3020

#### Heat Pump Tumble Dryer

- Electronically controlled
- Delayed start function 3, 6, 9, or 12 h
- Light inside the drum

Energy efficiency class	A++
Condence efficiency class	B
Annual energy cons. kWh/a	235,3
Rated capacity drying, kg	8
Airborne acoustical noise (A)	69
Option of drainhose connection	Yes
Product Dimensions, HxWxD, mm	595 x 845 x 622



A++

### TRK 3308

PREMIUM Collection

#### Heat Pump Tumble Dryer

- Electronically controlled
- Stort LCD display
- Delayed start and remaining time in display

Energy efficiency class	A++
Condence efficiency class	B
Annual energy cons. kWh/a	235,3
Rated capacity drying, kg	8
Airborne acoustical noise (A)	69
Option of drainhose connection	Yes
Product Dimensions, HxWxD, mm	845 x 595 x 622

# Wine Coolers



## Wine Coolers



### SV 19 B

#### Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- One temperature zone

Energy efficiency class	F
Annual energy cons. kWh/a	98
Temperature range °C	5 - 18
Acoustical noise (dB(A))	39
Internal light	1 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	18
Product Dimensions, HxWxD, mm	865 x 295 x 561



### SV 45 B

#### Wine Cooler

- Black glass door with thin frame
- Freestanding model
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	138
Temperature range °C	4 - 22
Acoustical noise (dB(A))	39
Internal light	1 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	45
Product Dimensions, HxWxD, mm	845 x 540 x 548



### SV 81 B

#### Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	130
Temperature range °C	5 - 18
Acoustical noise (dB(A))	40
Internal light	1 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	46
Product Dimensions, HxWxD, mm	865 x 595 x 561



### SV 85 B

#### Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	145
Temperature range °C	5 - 18
Acoustical noise (dB(A))	39
Internal light	2 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	44
Product Dimensions, HxWxD, mm	865 x 595 x 561

## Wine Coolers



### SV 104 B

#### Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- Two temperature zones

Energy efficiency class	F
Annual energy cons. kWh/a	121
Temperature range °C	5 - 18
Acoustical noise (dB(A))	39
Internal light	2 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	90
Product Dimensions, HxWxD, mm	1392 x 595 x 680



### SV 111 B

#### Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	158
Temperature range °C	5 - 18
Acoustical noise (dB(A))	39
Internal light	1 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	126
Product Dimensions, HxWxD, mm	1764 x 595 x 680



### SV 124 B

#### Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	175
Temperature range °C	5 - 18
Acoustical noise (dB(A))	39
Internal light	2 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	126
Product Dimensions, HxWxD, mm	1764 x 595 x 680



### SV 81 X

#### Wine Cooler

- Stylish door frame in stainless steel
- Curved stainless steel handle
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	130
Temperature range °C	5 - 18
Acoustical noise (dB(A))	40
Internal light	1 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	46
Product Dimensions, HxWxD, mm	865 x 595 x 570

## Wine Coolers



### SV 91 X

#### Wine Cooler

- Stylish door frames in stainless steel
- Curved stainless steel handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	142
Temperature range °C	5 - 18
Acoustical noise (dB(A))	39
Internal light	2 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	36
Product Dimensions, HxWxD, mm	865 x 595 x 570



### SV 104 X

#### Wine Cooler

- Stylish door frame in stainless steel
- Curved stainless steel handle
- Two temperature zones

Energy efficiency class	F
Annual energy cons. kWh/a	121
Temperature range °C	5 - 18
Acoustical noise (dB(A))	39
Internal light	2 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	90
Product Dimensions, HxWxD, mm	1392 x 595 x 678



### SV 124 X

#### Wine Cooler

- Stylish door frame in stainless steel
- Curved stainless steel handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	175
Temperature range °C	5 - 18
Acoustical noise (dB(A))	39
Internal light	2 Horizontal LED
75 cl bottle 310 x 84 mm, pcs	126
Product Dimensions, HxWxD, mm	1763 x 595 x 678

## Minibars



### MB 32 B

#### Minibar

- LED interior light
- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	F
Annual energy cons. kWh/a	90
Climate class	SN/N
Reversible door	Yes
Netto volume, L	32
Temperature range °C	6 - 8
Product Dimensions, HxWxD, mm	485 x 385 x 450



### MB 32 BGD

#### Minibar

- LED interior light
- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	D
Annual energy cons. kWh/a	60
Climate class	SN/N
Reversible door	Yes
Netto volume, L	32
Temperature range °C	12 - 14
Product Dimensions, HxWxD, mm	485 x 385 x 450



### MB 34 B

#### Minibar

- LED interior light
- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	F
Annual energy cons. kWh/a	96
Climate class	SN/N
Reversible door	Yes
Netto volume, L	34
Temperature range °C	6 - 8
Product Dimensions, HxWxD, mm	560 x 400 x 425



### MB 34 BGD

#### Minibar

- LED interior light
- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	D
Annual energy cons. kWh/a	60
Climate class	SN/N
Reversible door	Yes
Netto volume, L	34
Temperature range °C	12 - 14
Product Dimensions, HxWxD, mm	570 x 400 x 420



# Cool Cubes Coolers





### Compact Cube

#### Cool Cubes

- Stylish chrome door with Integrated handle
- Adjustable shelf
- Black exterior and interior

Energy efficiency class	F
Annual energy cons. kWh/a	98
Climate class	N
Reversible door	Yes
Netto volume, L	48
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	510 x 430 x 475



### Coca-cola FiftyCube

#### Cool Cubes

- Classic oldtimer Coca Cola design
- Integrated handle in the door
- Perfect for children's room or office

Energy efficiency class	F
Annual energy cons. kWh/a	98
Climate class	ST
Reversible door	Yes
Netto volume, L	48
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	510 x 430 x 475



### Coca-Cola Coolcube

#### Cool Cubes

- Classic Coca Cola design
- Stylish chrome door with Integrated handle
- Perfect for children's room or office

Energy efficiency class	F
Annual energy cons. kWh/a	98
Climate class	N
Reversible door	Yes
Netto volume, L	50
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	510 x 430 x 475



### Coca-Cola Highcube

#### Cool Cubes

- Classic Coca Cola design
- Stylish chrome door with Integrated handle
- Adjustable shelves

Energy efficiency class	F
Annual energy cons. kWh/a	104
Climate class	N
Reversible door	Yes
Netto volume, L	115
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	840 x 540 x 564

# Display Coolers



## Display Coolers



### RT 82 BE

#### Display Cooler

- Double glazed glass on four sides
- 3 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	C
Annual energy cons. kWh/a	1003
Climate class	4
Reversible door	No
Netto volume, L	71
Temperature range °C	0 - 12
Product Dimensions, HxWxD, mm	960 x 428 x 386



### RT 82 WE

#### Display Cooler

- Double glazed glass on four sides
- 3 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	C
Annual energy cons. kWh/a	1003
Climate class	4
Reversible door	No
Netto volume, L	71
Temperature range °C	0 - 12
Product Dimensions, HxWxD, mm	960 x 428 x 386



### RTC 237 BE

#### Display Cooler

- Double glazed glass on four sides
- 4 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	B
Annual energy cons. kWh/a	1622
Climate class	4
Reversible door	No
Netto volume, L	176
Temperature range °C	0 - 12
Product Dimensions, HxWxD, mm	1690 x 515 x 485



### RTC 237 WE

#### Display Cooler

- Double glazed glass on four sides
- 4 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	B
Annual energy cons. kWh/a	1622
Climate class	4
Reversible door	No
Netto volume, L	176
Temperature range °C	0 - 12
Product Dimensions, HxWxD, mm	1690 x 515 x 485

## Display Coolers



### RTC 287 BE

#### Display Cooler

- Double glazed glass on four sides
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	B
Annual energy cons. kWh/a	1365
Climate class	4
Reversible door	No
Netto volume, L	235
Temperature range °C	0 - 12
Product Dimensions, HxWxD, mm	1895 x 515 x 485



### RTC 287 WE

#### Display Cooler

- Double glazed glass on four sides
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	B
Annual energy cons. kWh/a	1365
Climate class	4
Reversible door	No
Netto volume, L	235
Temperature range °C	0 - 12
Product Dimensions, HxWxD, mm	1895 x 515 x 485



### KK 381 E

#### Display Cooler

- Right hinged glass door with lock
- 4 adjustable coated wire shelves
- 1 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	531
Climate class	4
Reversible door	No
Netto volume, L	192
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1795 x 615 x 610



### KK 421 E

#### Display Cooler

- Right hinged glass door with lock
- 4 adjustable coated wire shelves
- 1 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	767
Climate class	4
Reversible door	No
Netto volume, L	225
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1990 x 615 x 610

## Display Coolers



### SC 21 BE

#### Display Cooler

- Self-closing hinged glass door
- 1 adjustable coated wire shelves
- LED interior light

Energy efficiency class	C
Annual energy cons. kWh/a	274
Climate class	ST
Reversible door	No
Netto volume, L	18
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	585 x 360 x 330



### SC 51 BE

#### Display Cooler

- Self-closing hinged glass door
- 2 adjustable coated wire shelves
- LED interior light

Energy efficiency class	C
Annual energy cons. kWh/a	237
Climate class	ST
Reversible door	No
Netto volume, L	44
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	805 x 426 x 460



### SC 81 BE

#### Display Cooler

- Self-closing hinged glass door
- LED interior light
- Illuminated canopy

Energy efficiency class	C
Annual energy cons. kWh/a	274
Climate class	ST
Reversible door	No
Netto volume, L	60
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	950 x 460 x 460



### DKS 62 E

#### Display Cooler

- Right hinged glass door
- 1 coated wire shelf
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	2257
Climate class	4
Reversible door	No
Netto volume, L	46
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	520 x 475 x 435



## Display Coolers



### DKS 122 E

#### Display Cooler

- Right hinged glass door
- 2½ adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	2490
Climate class	4
Reversible door	No
Netto volume, L	105
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	840 x 480 x 520



### DKS 122 BE

#### Display Cooler

- Right hinged glass door
- 2½ adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	2490
Climate class	4
Reversible door	No
Netto volume, L	105
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	840 x 480 x 520



### DKS 142 BE

#### Display Cooler

- Hinged glass door with lock
- 4 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	548
Climate class	6
Reversible door	Yes
Netto volume, L	115
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	845 x 540 x 548



### SD 430 E

#### Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	712
Climate class	ST
Reversible door	No
Netto volume, L	360
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1980 x 578 x 605



NEW  
2022



## SD 226 BE

### Display Cooler

- 5 adjustable coated wire shelves
- 1 vertical LED
- 4 feet

Energy efficiency class	D
Annual energy cons. kWh/a	474
Climate class	T
Reversible door	No
Netto volume, L	144
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1892 x 390 x 475



## SD 181 BE

### Display Cooler

- Self-closing hinged glass door with lock
- 3 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	646
Climate class	ST
Reversible door	No
Netto volume, L	160
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1575 x 538 x 505



## SD 426 BE

### Display Cooler

- Self-closing hinged aluminum glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	730
Climate class	T
Reversible door	No
Netto volume, L	289
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2020 x 606 x 620



## SD 726 BE

### Display Cooler

- Self-closing hinged aluminum glass door with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	985
Climate class	T
Reversible door	No
Netto volume, L	498
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2067 x 700 x 783

## Display Coolers



### SD 826 BE

#### Display Cooler

- Self-closing hinged aluminum glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1262
Climate class	T
Reversible door	No
Netto volume, L	660
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2023 x 1000 x 720



### SD 1326 BE

#### Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- 4 strong castors, 2 with brake

Energy efficiency class	D
Annual energy cons. kWh/a	1686
Climate class	T
Reversible door	No
Netto volume, L	917
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2035 x 1330 x 713



### SD 459 BE

#### Display Cooler

- 5 adjustable coated wire shelves
- 2 vertical LED
- 4 strong castors

Energy efficiency class	B
Annual energy cons. kWh/a	1065
Climate class	3
Reversible door	No
Netto volume, L	459
Temperature range °C	1 - 10
Product Dimensions, HxWxD, mm	2003 x 750 x



### SD 809 BE

#### Display Cooler

- 10 adjustable coated wire shelves
- 3 vertical LED
- 6 strong castors

Energy efficiency class	C
Annual energy cons. kWh/a	1693
Climate class	3
Reversible door	No
Netto volume, L	809
Temperature range °C	1 - 10
Product Dimensions, HxWxD, mm	2003 x 1253 x 710

## Display Coolers



### SD 217 E

#### Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 1 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	573
Climate class	ST
Reversible door	No
Netto volume, L	133
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1880 x 390 x 475



### SD 217 BE

#### Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 1 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	573
Climate class	ST
Reversible door	No
Netto volume, L	133
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1880 x 390 x 475



### SD 417 E

#### Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	598
Climate class	ST
Reversible door	Yes
Netto volume, L	280
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1980 x 578 x 605



### SD 420 E

#### Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	639
Climate class	T
Reversible door	Yes
Netto volume, L	360
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1980 x 578 x 605

## Display Coolers



### SD 420 BE

#### Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	638
Climate class	T
Reversible door	Yes
Netto volume, L	360
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1980 x 578 x 605



### SD 802 HE

#### Display Cooler

- Self-closing hinged glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1263
Climate class	T
Reversible door	No
Netto volume, L	660
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2023 x 1000 x 720



### SD 802 SLE

#### Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1296
Climate class	T
Reversible door	No
Netto volume, L	658
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2023 x 1000 x 700



### SD 881 HE

#### Display Cooler

- Self-closing hinged glass doors with lock
- 10 adjustable coated wire shelves
- Ventilated cooling

Energy efficiency class	E
Annual energy cons. kWh/a	1372
Climate class	T
Reversible door	No
Netto volume, L	437
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	1996 x 870 x 605

## Display Coolers



### SD 1002 HE

#### Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1365
Climate class	T
Reversible door	No
Netto volume, L	758
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2023 x 1130 x 720



### SD 1002 BHE

#### Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1365
Climate class	T
Reversible door	No
Netto volume, L	758
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2023 x 1130 x 720



### SD 1002 SLE

#### Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1205
Climate class	T
Reversible door	No
Netto volume, L	670
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2023 x 1130 x 700



### SD 1002 BSLE

#### Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1205
Climate class	T
Reversible door	No
Netto volume, L	670
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2023 x 1130 x 700

## Display Coolers



### SD 1502 HE

#### Display Cooler

- Self-closing hinged glass doors with lock
- 15 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	C
Annual energy cons. kWh/a	1496
Climate class	T
Reversible door	No
Netto volume, L	1152
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	2065 x 1710 x 720



### SD 1502 BHE

#### Display Cooler

- 15 adjustable coated wire shelves
- 2 vertical LED
- 8 strong castors

Energy efficiency class	C
Annual energy cons. kWh/a	1496
Climate class	T
Reversible door	No
Netto volume, L	1152
Temperature range °C	1 - 10
Product Dimensions, HxWxD, mm	2065 x 1710 x 720



### SC 131 HE

#### Back Bar

- 2 adjustable chrome shelves
- Easy access electronic thermostat
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	401,5
Climate class	ST
Reversible door	No
Netto volume, L	86
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	865 x 500 x 530



### SC 141 HE

#### Back Bar

- Self-closing hinged glass door with lock
- 2 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	402
Climate class	ST
Reversible door	No
Netto volume, L	105
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	865 x 600 x 530

## Display Coolers



### SC 211 HDE

#### Back Bar

- Self-closing hinged glass doors with lock
- 4 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	493
Climate class	ST
Reversible door	No
Netto volume, L	158
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	865 x 900 x 530



### SC 211 SLE

#### Back Bar

- Self-closing sliding glass doors with lock
- 4 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	613
Climate class	ST
Reversible door	No
Netto volume, L	158
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	865 x 900 x 520



### SC 311 SLE

#### Back Bar

- Self-closing sliding glass doors with lock
- 6 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	683
Climate class	ST
Reversible door	No
Netto volume, L	254
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	865 x 1350 x 520



## Showcases



### RTW 101 BE

#### Display Cooler

- Sliding glass doors
- 2 adjustable chrome wire shelves
- 2 vertical LED

Energy efficiency class	B
Annual energy cons. kWh/a	912
Climate class	4
Reversible door	No
Netto volume, L	70,8
Temperature range °C	1 - 10
Product Dimensions, HxWxD, mm	675 x 682 x 450



### RTW 129 BE

#### Display Cooler

- 2 sliding glass doors
- 3 angle adjustable glass shelves
- 2 vertical LED

Energy efficiency class	C
Annual energy cons. kWh/a	1506
Climate class	4
Reversible door	No
Netto volume, L	129
Temperature range °C	2 - 12
Product Dimensions, HxWxD, mm	874 x 624 x 560



### RTW 160 E

#### Display Cooler

- 2 sliding glassdoors
- 2 adjustable chrome wire shelves
- 1 horizontal LED

Energy efficiency class	B
Annual energy cons. kWh/a	1206
Climate class	N
Reversible door	No
Netto volume, L	145
Temperature range °C	2 - 6
Product Dimensions, HxWxD, mm	686 x 880 x 568



### SVS 145

#### Display Heater

- 3 chrome shelves
- Temperature range 30 til 90°C
- LED interior light

Energy efficiency class	-
Annual energy cons. kWh/a	
Climate class	-
Reversible door	No
Netto volume, L	137
Temperature range °C	30 - 90
Product Dimensions, HxWxD, mm	785 x 645 x 487

# Display Freezers



## Display Freezers



### SD 46 E

#### Display Freezer

- Self-closing hinged aluminum glass door
- 2 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	2761
Climate class	4
Temperature range °C	-18 / -15
Netto volume, L	42
Refrigeration / freezing technique	Static
Product Dimensions, HxWxD, mm	500 x 570 x 500



### SD 76 E

#### Display Freezer

- Self-closing hinged aluminum glass door
- 3 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	3264
Climate class	4
Temperature range °C	-15 / -18
Netto volume, L	88
Refrigeration / freezing technique	Static
Product Dimensions, HxWxD, mm	690 x 595 x 520



### SD 92 E

#### Display Freezer

- Self-closing hinged aluminum glass door
- 3 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	3264
Climate class	4
Temperature range °C	-15 / -18
Netto volume, L	88
Refrigeration / freezing technique	Static
Product Dimensions, HxWxD, mm	855 x 595 x 535



### SF 217 BE

#### Display Freezer

- Self-closing hinged glass door
- 5 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	C
Annual energy cons. kWh/a	1770
Climate class	4
Temperature range °C	-18 / -22
Netto volume, L	142
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	1790 x 445 x 665

## Display Freezers



### KF 870 E

#### Display Freezer

- Self-closing hinged glass door with lock
- 6 adjustable coated wire shelves
- 2 vertical and 1 horizontal LED

Energy efficiency class	E
Annual energy cons. kWh/a	4857
Climate class	4
Temperature range °C	-25 / -18
Netto volume, L	329
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	2126 x 660 x 764



### KF 560 BE

#### Display Freezer

- 5 adjustable coated wire shelves
- 2 vertical LED
- 4 strong castors

Energy efficiency class	E
Annual energy cons. kWh/a	4854
Climate class	3
Temperature range °C	-18 / -22
Netto volume, L	390
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	2003 x 750 x 760



### KF 1006 E

#### Display Freezer

- Self-closing hinged glass doors
- 10 adjustable coated wire shelves
- 3 vertical LED

Energy efficiency class	F
Annual energy cons. kWh/a	8884
Climate class	3
Temperature range °C	-18 / -22
Netto volume, L	702
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	2003 x 1253 x 760



### KF 1006 BE

#### Display Freezer

- 10 adjustable coated wire shelves
- 3 vertical LED
- 6 strong castors

Energy efficiency class	F
Annual energy cons. kWh/a	8884
Climate class	3
Temperature range °C	-18 / -22
Netto volume, L	702
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	2003 x 1253 x 760



### KF 1563 BE

#### Display Freezer

- 15 adjustable coated wire shelves
- 4 vertical LED
- 8 strong castors

■ Energy efficiency class	F
Annual energy cons. kWh/a	12840
Climate class	3
Temperature range °C	-18 / -22
Netto volume, L	1090
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	2003 x 1880 x 760

# Impulse Coolers and Freezers





## TK 42 BE

### Can Cooler

- Split flip glass lid
- 4 strong castors
- Static cooling

Energy efficiency class	B
Annual energy cons. kWh/a	142
Climate class	ST
Temperature range °C	2 - 10
Netto volume, L	37
Refrigeration / freezing technique	Static
Product Dimensions, HxWxD, mm	735 x 445 x 445



## TK 66 BE

### Can Cooler

- Split flip glass lid
- 4 strong castors
- Static cooling

Energy efficiency class	B
Annual energy cons. kWh/a	142
Climate class	ST
Temperature range °C	0 - 10
Netto volume, L	58
Refrigeration / freezing technique	Static
Product Dimensions, HxWxD, mm	960 x 445 x 445



## TK 86 BE

### Can Cooler

- Split flip glass lid
- 4 strong castors
- Static cooling

Energy efficiency class	B
Annual energy cons. kWh/a	164
Climate class	ST
Temperature range °C	0 - 10
Netto volume, L	84
Refrigeration / freezing technique	Static
Product Dimensions, HxWxD, mm	836 x 565 x 565



## FT 87 BE

### Can Freezer

- Split flip glass lid
- Temperature range <-18°C
- 1 wire basket

Energy efficiency class	D
Annual energy cons. kWh/a	1095
Climate class	4
Temperature range °C	-18 / -15
Netto volume, L	85
Refrigeration / freezing technique	Static
Product Dimensions, HxWxD, mm	836 x 565 x 565





## OFC 191 E

### Open Front Cooler

- Adjustable shelves with tilting function
- LED in top and under each shelf
- Ventilated cooling 2-10°C

Energy efficiency class	F
Annual energy cons. kWh/a	3486
Climate class	6
Temperature range °C	2 - 10
Netto volume, L	172
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	1473 x 700 x 780



## OFC 222 E

### Open Front Cooler

- Stylish curved front, glass sides
- Adjustable shelves with tilting function
- LED in top and under each shelf

Energy efficiency class	F
Annual energy cons. kWh/a	4669
Climate class	6
Temperature range °C	2 - 10
Netto volume, L	158
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	1742 x 495 x 674



## OFC 231 E

### Open Front Cooler

- Stylish curved front, glass sides, stainless cabinet
- Adjustable shelves with tilting function
- LED in top and under each shelf

Energy efficiency class	E
Annual energy cons. kWh/a	4642
Climate class	6
Temperature range °C	2 - 10
Netto volume, L	163
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	1520 x 600 x 890



## OFC 381 E

### Open Front Cooler

- Stylish curved front, glass sides, stainless cabinet
- Adjustable shelves with tilting function
- LED in top and under each shelf

Energy efficiency class	G
Annual energy cons. kWh/a	6260
Climate class	6
Temperature range °C	2 - 10
Netto volume, L	273
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	1520 x 1000 x 890



## OTC 95 BE

### Impulse Cooler

- Elegant soft and round curves
- Efficient product presentation
- LED interior light

Energy efficiency class	D
Annual energy cons. kWh/a	1058
Climate class	3
Temperature range °C	2 - 8
Netto volume, L	87
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	930 x 772 x 833



## OTF 87 BE

### Supermarket Freezer

- 
- 
- 

Energy efficiency class	E
Annual energy cons. kWh/a	2920
Climate class	3
Temperature range °C	-22 / - 8
Netto volume, L	102
Refrigeration / freezing technique	Ventilated
Product Dimensions, HxWxD, mm	930 x 773 x 833

# Storage Coolers and -Freezers





## KK 152 E

### Storage Cooler

- Adjustable glass shelves
- LED interior light
- Static cooling

Energy efficiency class	F
Annual energy cons. kWh/a	109
Climate class	ST
Reversible door	Yes
Netto volume, L	108
Temperature range °C	1 - 8
Product Dimensions, HxWxD, mm	845 x 495 x 545



## KK 262 E

### Storage Cooler

- Adjustable glass shelves
- LED interior light
- Static cooling

Energy efficiency class	F
Annual energy cons. kWh/a	127
Climate class	ST
Reversible door	Yes
Netto volume, L	228
Temperature range °C	1 - 8
Product Dimensions, HxWxD, mm	1440 x 540 x 580



## KK 367 E

### Storage Cooler

- Adjustable glass shelves
- LED interior light
- Static cooling

Energy efficiency class	F
Annual energy cons. kWh/a	137
Climate class	ST
Reversible door	Yes
Netto volume, L	290
Temperature range °C	1 - 8
Product Dimensions, HxWxD, mm	1780 x 540 x 585



## KK 601 E

### Storage Cooler

- Self-closing hinged solid door with lock
- 4 adjustable coated wire shelves
- Suitable for GN 2/1 Shelves and trays (600\*400mm)

Energy efficiency class	C
Annual energy cons. kWh/a	565
Climate class	4
Reversible door	No
Netto volume, L	455
Temperature range °C	1 - 8
Product Dimensions, HxWxD, mm	1900 x 750 x 740

## Storage Coolers and -Freezers



### KF 611 E

#### Storage Freezer

- Self-closing hinged solid door with lock
- 6 fixed coated wire shelves
- Digital temperature control

- Energy efficiency class

Annual energy cons. kWh/a	1285
Climate class	4
Reversible door	Yes
Netto volume, L	442
Temperature range °C	-18 / -22
Product Dimensions, HxWxD, mm	1900 x 750 x 740



### SF 115 X

#### Storage Freezer

- Self-closing hinged solid door with lock
- 3 wire baskets
- Digital temperature control

- Energy efficiency class

Annual energy cons. kWh/a	438
Climate class	6
Reversible door	No
Netto volume, L	115
Temperature range °C	-16 / -22
Product Dimensions, HxWxD, mm	820 x 595 x 595



### SK 145 E

#### Storage Cooler

- Self-closing hinged solid door with lock
- 3 adjustable coated wire shelves
- Digital temperature control

- Energy efficiency class

Annual energy cons. kWh/a	365
Climate class	6
Reversible door	No
Netto volume, L	145
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	820 x 595 x 595



### SK 145 GDE

#### Storage Cooler

- Self-closing hinged glass door with lock
- 3 adjustable coated wire shelves
- Digital temperature control

- Energy efficiency class

Annual energy cons. kWh/a	460
Climate class	6
Reversible door	No
Netto volume, L	145
Temperature range °C	0 - 10
Product Dimensions, HxWxD, mm	820 x 595 x 595



### SB 452 XE

#### Chest Freezer

- Stainless lid and LED light inside
- 3 strong wire baskets
- Handle with lock

Energy efficiency class	F
Annual energy cons. kWh/a	317
Climate class	T
Reversible door	No
Netto volume, L	368
Temperature range °C	-18 / -8
Product Dimensions, HxWxD, mm	850 x 1275 x 750



### SB 552 XE

#### Chest Freezer

- Stainless lid and LED light inside
- 4 strong wire baskets
- Handle with lock

Energy efficiency class	F
Annual energy cons. kWh/a	352
Climate class	T
Reversible door	No
Netto volume, L	459
Temperature range °C	-18 / -8
Product Dimensions, HxWxD, mm	850 x 1535 x 780

# Display Ice Cream Freezers







### SD 155 E

#### Ice Cream Freezer

- Curved sliding glass lids
- 2 strong wire baskets
- 4 strong castors
- Suitable for branding
- Light sign sold separately

Energy efficiency class	E
Annual energy cons. kWh/a	605
Climate class	7
Lock & Key	No
Netto volume, L	94
Temperature range °C	-18 / -24
Product Dimensions, HxWxD, mm	850 x 584 x 694



### SD 306 E

#### Ice Cream Freezer

- Curved sliding glass lids with lock
- 3 strong wire baskets
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding

Energy efficiency class	E
Annual energy cons. kWh/a	890
Climate class	7
Lock & Key	Yes
Netto volume, L	192
Temperature range °C	-18 / -24
Product Dimensions, HxWxD, mm	850 x 1000 x 649



### SD 352 E

#### Ice Cream Freezer

- Curved sliding glass lids with lock
- 4 strong wire baskets
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding

Energy efficiency class	E
Annual energy cons. kWh/a	1030
Climate class	7
Lock & Key	Yes
Netto volume, L	251
Temperature range °C	-18 / -24
Product Dimensions, HxWxD, mm	850 x 1224 x 649



## SD 310 E

### Ice Cream Freezer

- Flat sliding glass lids with lock
- 4 strong wire baskets
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding

Energy efficiency class	E
Annual energy cons. kWh/a	780
Climate class	7
Lock & Key	Yes
Netto volume, L	223
Temperature range °C	-24 / -18
Product Dimensions, HxWxD, mm	830 x 1000 x 694



## SD 410 E

### Ice Cream Freezer

- Flat sliding glass lids with lock
- 5 strong wire baskets
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding

Energy efficiency class	E
Annual energy cons. kWh/a	970
Climate class	7
Lock & Key	Yes
Netto volume, L	293
Temperature range °C	-24 / -18
Product Dimensions, HxWxD, mm	830 x 1240 x 694



## SD 510 E

### Ice Cream Freezer

- Flat sliding glass lids with lock
- 6 strong wire baskets
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding

Energy efficiency class	E
Annual energy cons. kWh/a	1160
Climate class	7
Lock & Key	Yes
Netto volume, L	373
Temperature range °C	-24 / -18
Product Dimensions, HxWxD, mm	830 x 1510 x 694



### XS 602 E

#### Supermarket Freezer

- Large curved sliding glass lids with lock
- 5 strong wire baskets
- Coated white steel inner liner
- 6 strong castors
- Bumper bars

Energy efficiency class	D
Annual energy cons. kWh/a	2117
Climate class	5
Lock & Key	Yes
Netto volume, L	355
Temperature range °C	10 / -18
Product Dimensions, HxWxD, mm	837 x 1475 x 757



### XS 701 E

#### Supermarket Freezer

- Large curved sliding glass lids
- 6 strong wire baskets
- Coated white steel inner liner
- 4 strong castors
- Bumper bars

Energy efficiency class	C
Annual energy cons. kWh/a	1780
Climate class	4
Lock & Key	No
Netto volume, L	501
Temperature range °C	-18 / -24
Product Dimensions, HxWxD, mm	850 x 1865 x 814



### XS 802 E

#### Supermarket Freezer

- Large curved sliding glass lids with lock
- 7 strong wire baskets
- Coated white steel inner liner
- 8 strong castors
- Bumper bars

Energy efficiency class	D
Annual energy cons. kWh/a	2482
Climate class	3
Lock & Key	Yes
Netto volume, L	510
Temperature range °C	10 / -18
Product Dimensions, HxWxD, mm	845 x 2000 x 757

# Gastro and Dry Aging Refrigerators





## GUR700X

### Storage Cooler

- Self-closing door with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	548
Climate class	4
Reversible door	No
Netto volume, L	461
Temperature range °C	-2 - 8
Product Dimensions, HxWxD, mm	2040 x 653 x 842



## GUR700GDX

### Storage Cooler

- Self-closing glass door with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	822
Climate class	4
Reversible door	No
Netto volume, L	461
Temperature range °C	-2 - 8
Product Dimensions, HxWxD, mm	2040 x 653 x 842



## GUR1400X

### Storage Cooler

- Self-closing doors with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	913
Climate class	4
Reversible door	No
Netto volume, L	922
Temperature range °C	-2 - 8
Product Dimensions, HxWxD, mm	2040 x 1318 x 842



## GUF700X

### Storage Freezer

- Self-closing door with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	D
Annual energy cons. kWh/a	2179
Climate class	4
Reversible door	No
Netto volume, L	461
Temperature range °C	-16 - -21
Product Dimensions, HxWxD, mm	2040 x 653 x 842



## GUF1400X

### Storage Freezer

- Self-closing doors with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	D
Annual energy cons. kWh/a	4855
Climate class	4
Reversible door	No
Netto volume, L	922
Temperature range °C	-16 - -21
Product Dimensions, HxWxD, mm	2040 x 1318 x 842



## GCR1352X

### Gastro Counter Refrigerator

- Self-closing doors with 120° dwell position - reversable onsite
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	B
Annual energy cons. kWh/a	752
Climate class	4
Reversible door	Yes
Netto volume, L	143
Temperature range °C	-2 - 8
Product Dimensions, HxWxD, mm	850 x 1342 x 700



## GCR1803X

### Gastro Counter Refrigerator

- Self-closing doors with 120° dwell position - reversable onsite
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	B
Annual energy cons. kWh/a	931
Climate class	4
Reversible door	Yes
Netto volume, L	214
Temperature range °C	-2 - 8
Product Dimensions, HxWxD, mm	850 x 1792 x 700



## GCR2254X

### Gastro Counter Refrigerator

- Self-closing doors with 120° dwell position - reversable onsite
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	1096
Climate class	4
Reversible door	Yes
Netto volume, L	285
Temperature range °C	-2 - 8
Product Dimensions, HxWxD, mm	850 x 2242 x 700



## GCF1352X

### Gastro Counter Freezer

- Self-closing doors with 120° dwell position - reversable onsite
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	D
Annual energy cons. kWh/a	2212
Climate class	4
Reversible door	Yes
Netto volume, L	143
Temperature range °C	-16 - -21
Product Dimensions, HxWxD, mm	850 x 1342 x 700



## GCF1803X

### Gastro Counter Freezer

- Self-closing doors with 120° dwell position - reversable onsite
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	D
Annual energy cons. kWh/a	2467
Climate class	4
Reversible door	Yes
Netto volume, L	214
Temperature range °C	-16 - -21
Product Dimensions, HxWxD, mm	850 x 17992 x 700



## GBC05X

### Blast Chiller

- Fast chilling +90° to +3°C in 90 min
- Fast freezing +90° to -18°C in 240 min
- Suitable for 5 GN 1/1

Energy efficiency class	-
Annual energy cons. kWh/a	
Climate class	4
Reversible door	No
Netto volume, L	
Temperature range °C	3 - -18
Product Dimensions, HxWxD, mm	850 x 790 x 700



## GBC10X

### Blast Chiller

- Fast chilling +90° to +3°C in 90 min
- Fast freezing +90° to -18°C in 240 min
- Suitable for 10 GN 1/1

Energy efficiency class	-
Annual energy cons. kWh/a	
Climate class	4
Reversible door	No
Netto volume, L	
Temperature range °C	3 - -18
Product Dimensions, HxWxD, mm	1420 x 790 x 800



## Dry Aging Refrigerators



### DA 320 X

PREMIUM Collection

#### Dry Aging Refrigerator

- Photocatalyst sterilization device
- Antimicrobial inner tank
- Antimicrobial inner tank

■ Temperature range °C	0 - 25
Annual energy cons. kWh/a	1295
Climate class	4
Internal light	1 Horizontal LED
Netto volume, L	296
Humidity range (%RH)	30-90
Product Dimensions, HxWxD, mm	1262 x 700 x 760



### DA 480 X

PREMIUM Collection

#### Dry Aging Refrigerator

- Photocatalyst sterilization device
- Antimicrobial inner tank
- Activated carbon ventilation system

■ Temperature range °C	0 - 25
Annual energy cons. kWh/a	1376
Climate class	4
Internal light	1 Horizontal LED
Netto volume, L	426
Humidity range (%RH)	30-90
Product Dimensions, HxWxD, mm	1662 x 700 x 760

# Decoration

Scandomestic has many years of experience in branding commercial refrigerators and freezers

## ***Here's how we can help;***

Scandomestic can offer decoration of your products from 1 piece and upwards.

Decoration is done with either 0.5 mm wrap, on specific products, or as white vinyl adhesive.

Printing is done with CMYK colours on professional large format printers.

We do not have the option to print PANTONE colors.

## **File specifications for decoration:**

- Finished printable PDF-files with 5 mm extra design for cropping incl. crop marks.
- CMYK Colours.
- Minimum 100 dpi if the file contains photos.
- Made to scale (scale 1:1) according to our design forms, which can be downloaded from our website.



# Examples of decoration



UK



**Scandomestic A/S**

Linåvej 20

DK-8600 Silkeborg

Tel: + 45 7242 5571

[www.scandomestic.dk](http://www.scandomestic.dk)